


DS-KD-KK KD8 Series Pro Modular Door Station



- Nametag module of modular door station
- Six nametag buttons calling Design For easier calls
- IP65 protection level
- Backlight compensation behind the nametag buttons
- Easy to use and extend

▪ Specification

System parameters	
Operation system	Linux
ROM	/
RAM	/
Processor	Embedded high performance processor
Display parameters	
Screen size	/
Operation method	/
Type	/
Resolution	/
Video parameters	
Lens	/
Resolution	/
FOV	/
Wide dynamic range (WDR)	/
Supplement light	/
Video compression standard	/
Audio parameters	
Audio input	/
Audio compression standard	/
Audio output	/
Audio compression bitrate	/
Audio quality	/
Volume adjustment	/
Capacity	
User capacity	/
Face capacity	/
Fingerprint capacity	/
Message capacity	/
Linked indoor station capacity	/
Network parameters	
Network protocol	/
Wi-Fi	/
Bluetooth	/
3G/4G	/
Device interfaces	
Alarm input	/
Network interface	/
No.555 Dianmo Road, Binjiang District, Hangzhou 310051, China T: +86-571-8807-5998 www.hikvision.com	/
Exit button	/
RS-485	1
Follow us on social media to get the latest product and solution information.	
LinkedIn Hikvision Facebook HikvisionHQ Twitter HikvisionHQ WeChat Hikvision_Global YouTube Hikvision Corporate Channel Instagram hikvisionhq	
USB Wiegand	/
TF card	/



Alarm output	/
Lock control	/
Door contact input	/
General	
Button	6
Power consumption	≤ 2 W
Installation	Flush mounting, surface mounting
Indicator	/
Weight	Net weight: 190 g Gross weight: 438 g
Protective level	IP65
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Working humidity	10% to 95%
Dimension (W × H × D)	98.2 mm × 100.2 mm × 33.7 mm (3.87" × 3.95" × 1.33")
Battery	/
Installation	Flush mounting, surface mounting

▪ Available Model

DS-KD-KK

Headquarters



No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



▪ Dimension



Unit:mm [inch]

SCALE	1:1
-------	-----

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com

Follow us on social media to get the latest product and solution information.

▪ **Accessory**







▪ **Optional**



<p>DS-KD-ACW2 2nd Video Intercom Brackets</p>	<p>DS-KD-ACW3 2nd Video Intercom Brackets</p>	<p>DS-KD-ACF2 2nd Video Intercom Brackets</p>	<p>DS-KD-ACF3 2nd Video Intercom Brackets</p>	<p>DS-KA01-ZX-10 Demo Kit with 2nd video intercom</p>
				
<p>DS-KABD8003-RS2 Rain Shield of Module Door Station</p>	<p>DS-KABD8003-RS3 Rain Shield of Module Door Station</p>	<p>DS-KD-ACF3/Plastic 2nd Video Intercom Brackets</p>	<p>DS-KD-ACF2/S 2nd Video Intercom Brackets</p>	<p>DS-KD-ACF3/S 2nd Video Intercom Brackets</p>
				
<p>DS-KD-ACW2/S 2nd Video Intercom Brackets</p>	<p>DS-KD-ACW3/S 2nd Video Intercom Brackets</p>	<p>DS-KD8003-IME1(B) KD8 Series Modular Door Station</p>	<p>DS-KD8003-IME1(B)/Flush KD8 Series Pro Modular Door Station</p>	<p>DS-KD8003-IME1(B)/Surface KD8 Series Pro Modular Door Station</p>
				
<p>DS-KD8003Y-IME2 Two wire main unit</p>	<p>DS-KD-PMR Induction Loop Module</p>	<p>DS-KD7003EY-IME2 2-wire HD Door Station</p>	<p>DS-KDE-ACR3 Video Intercom Brackets</p>	<p>DS-KD-ACF2#EU 2nd Video Intercom Brackets</p>
 <p>Headqu No.555 Hangzh T +86-5 www.hikvision.com</p>				

Follow us on social media to get the latest product and solution information.



DS-KD-ACF3#EU 2nd Video Intercom Brackets	DS-KD-ACW2#EU 2nd Video Intercom Brackets	DS-KD-ACW3#EU 2nd Video Intercom Brackets	DS-KD7003EY-IME2 /Aluminum 2-wire HD Door Station
			

Headquarters

No.555 Qianmo Road, Binjiang District,
 Hangzhou 310051, China
 T +86-571-8807-5998
 www.hikvision.com



Follow us on social media to get the latest product and solution information.

